

IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A battery device ~~that is a first or a second battery devices and~~ housed in a single battery housing chamber of an electronic device, comprising ~~characterized in that:~~

~~each of the first and second battery device comprises~~ a case having side surfaces located on both ends of a width direction, an upper surface and lower surface located on both ends of a thickness direction, and a front surface and a rear surface located on both ends of a length direction; a charging unit disposed inside the case; and

a battery side terminal disposed on the front surface of the case and connected to the charging unit; ~~wherein the case of the first battery device and the case of the second battery device have a substantially same width and length while the case of the second battery device is formed with thickness larger than the case of the first battery device;~~

~~wherein the battery side terminal disposed on the first battery device and the battery side terminal disposed on the second battery device are located at a same position on the respective front surfaces with respect to the lower surfaces and the side surfaces; wherein an~~ a first engaging recessed part is formed on the front surface of the case of the ~~second~~ battery device and a second engaging recessed part is formed on the front surface of the case of the battery device, the first and second engaging recessed parts being separated in the width direction by a gap; ~~wherein a dimension from the lower surface of the case of the second battery device to a position close to the lower surface on a wall of the case where the engaging recessed part is formed and a dimension from the lower surface to the upper surface of the case of the first battery device are arranged to be a same.~~

Claim 2 (Canceled).

Claim 3 (Currently Amended): The battery device according to claim 1, wherein
~~characterized in that: each of the first and second~~ battery device comprises a frame and a film
attached to portions of the frame excluding a front and back side portions of the frame.

Claim 4 (Currently Amended): The battery device according to claim 3, wherein
~~characterized in that:~~ the film is attached to the frame so as to wrap around the entire
circumference excluding the front and back side portions of the frame; and the battery device
further includes slant parts disposed on side surfaces of the frame, which correspond to the
side surfaces of the case, each of the slant parts facing toward the front or back side of the
frame, an amount of protrusion from the frame being increased starting from the middle
position in the length direction of the frame to the front or back side portion of the frame, the
slant part making continuous connection to the front and back side portion.

Claim 5 (New): The battery device according to claim 1, wherein the first recessed
engaging part is also formed on a first side surface of the case.

Claim 6 (New): The battery device according to claim 5, wherein the second recessed
engaging part is also formed on a second side surface of the case.

Claim 7 (New): The battery device according to claim 6, wherein the first recessed
engaging part is formed above the battery side terminal.

Claim 8 (New): The battery device according to claim 1, wherein the second recessed
engaging part is also formed on a second side surface of the case.

Claim 9 (New): The battery device according to claim 8, wherein the first recessed engaging part is formed above the battery side terminal.

Claim 10 (New): The battery device according to claim 1, wherein the first recessed engaging part is formed above the battery side terminal.

Claim 11 (New): A battery device housed in a single battery housing chamber of an electronic device, comprising:

a case having side surfaces located on both ends of a width direction, an upper surface and lower surface located on both ends of a thickness direction, and a front surface and a rear surface located on both ends of a length direction; a charging unit disposed inside the case; and

a battery side terminal disposed on the front surface of the case and connected to the charging unit,

wherein first engaging means are formed on the front surface of the case of the battery device and second engaging means are formed on the front surface of the case of the battery device, the first and second engaging means being separated in the width direction by a gap.

Claim 12 (New): The battery device according to claim 11, wherein the battery device comprises a frame and a film attached to portions of the frame excluding a front and back side portions of the frame.

Claim 13 (New): The battery device according to claim 12, wherein the film is attached to the frame so as to wrap around the entire circumference excluding the front and back side portions of the frame; and the battery device further includes slant parts disposed

on side surfaces of the frame, which correspond to the side surfaces of the case, each of the slant parts facing toward the front or back side of the frame, an amount of protrusion from the frame being increased starting from the middle position in the length direction of the frame to the front or back side portion of the frame, the slant part making continuous connection to the front and back side portion.

Claim 14 (New): The battery device according to claim 11, wherein the first engaging means extends to a first side surface of the case.

Claim 15 (New): The battery device according to claim 14, wherein the second engaging extends to a second side surface of the case.

Claim 16 (New): The battery device according to claim 15, wherein the first engaging means is formed above the battery side terminal.

Claim 17 (New): The battery device according to claim 11, wherein the second engaging means extends to a second side surface of the case.

Claim 18 (New): The battery device according to claim 17, wherein the first engaging means is formed above the battery side terminal.

Claim 19 (New): The battery device according to claim 11, wherein the first engaging means is formed above the battery side terminal.